FONTRICK DOOR



Fontrick Door
9 Apollo Drive
Batavia, NY 14020

SALES@FONTRICKDOOR.COM

(585) 345-6032
1-800-246-0335
(585) 345-6033 Fax

WWW.FONTRICKDOOR.COM

Interior Door Specifications:

PAINT GRADE DOORS:

* Doors are manufactured in 1 3/8", 1 3/4", & 2 1/4" thickness
* Solid poplar stile and rail cope construction with floating raised or flat MDF panels
* Several raised moldings available with Dado construction
* Joints glued and doweled

STAIN GRADE DOORS:

* Doors are manufactured in 1 3/8", 1 3/4", & 2 1/4" thickness
* Species of wood include genuine African, Mahogany, Walnut, Black Cherry, Hard Maple, White and Red Oak (Other species available)
* Lumber is FAS 2-sides, sorted for color, pattern and quality
* Lumber is kiln dried to 6 - 8% moisture content

Pre-hanging:

* 3/4" or 1" flat matching jambs
* Door stops profile to match doors
* 1 1/2 pair (6'-8" or 7'-0" doors) or 2 pair (8'-0" doors) of square edged paint grade steel (Solid Brass and Plated Steel finishes upon request) architectural grade hinges
* Bore or mortising for locksets available upon request

Priming:

* All paint grade doors are sanded and primed with a latex-based exterior white primer. To be finish sanded and painted at job site.

NOTE:

* Stain grade doors are finish sanded and ready for finishing on the job site







Exterior Door Specifications:

* Doors are manufactured in 1 3/8", 1 3/4", & 2 1/4" thickness
* SA or African Mahogany, White or Red Oak or Spanish Cedar
* Painted Extira or Edgebanded & Veneered Panels
* Lumber is FAS 2-sides, sorted for color, pattern and quality
* Lumber is kiln dried to 6 - 8% moisture content
* Solid wood stile and rail construction with floating raised or flat panels
* Raised molding options available

Pre-hanging:

* 1" flat or 1 1/4" rabbetted jambs (wood species to match door)
* 1 3/4" Mahogany or White Oak sill
* Exterior casing/brickmold
* Solid polished brass ball bearing hinges (architectural grade)
* Q-lon compression weather-stripping and mortising for locksets available upon request

Priming:

* All paint grade doors are sanded and primed with a latex-based exterior white primer. To be finish sanded and painted at job site.

NOTE:

* Stain grade doors are finish sanded and ready for finishing on the job site



B1


1-PANEL


2-PANEL


1-PANEL CURVE
OVER 1-PANEL


1-ROUND TOP
OVER 1-PANEL


3-PANEL


3-PANEL
VERTICAL


4-PANEL


4-PANEL
FRENCH CURVE


5-PANEL


5-PANEL
HORIZONTAL


6-PANEL
COLONIAL


6-PANEL
REVERSE


7-PANEL


8-PANEL
COLONIAL


8-PANEL
EQUAL

STANDARD SAMPLE DOOR TYPES	SCALE: NONE	FONTRICK DOOR



9-LITE FRENCH



10-LITE FRENCH



12-LITE FRENCH



15-LITE FRENCH



18-LITE FRENCH



FULL VIEW FRENCH



1-LITE BEVELED OVER 2-PANEL



1-OVAL BEVELED LITE OVER 1-PANEL



9-LITE OVER 1-PANEL



9-LITE OVER 2-PANEL DUTCH



FULL VIEW STORM/SCREEN



1-PANEL STORM/SCREEN OVER 1-PANEL



BEADED/V-GROOVE 2-PANEL



2-PANEL LOUVER



1-PANEL LOUVER OVER 2-PANEL

FONTRICK DOOR	SCALE: NONE	STANDARD SAMPLE DOOR TYPES

STANDARD-HANDED DOORS PUSH AWAY FROM THE PERSON STANDING ON THE OUTSIDE/"KEY SIDE":



REVERSE-HANDED DOORS PULL TOWARDS THE PERSON STANDING ON THE OUTSIDE/"KEY SIDE":



STANDARD-HANDED DOORS PUSH AWAY FROM THE PERSON STANDING ON THE OUTSIDE/"KEY SIDE":





FONTRICK DOOR	SCALE: 3/4" = 1'-0"	1 PANEL DOOR UNIT ELEVATIONS

D2



PLEASE NOTE: KNOB RAIL HEIGHT FOR ALL DOORS IS 3'-0" FROM THE BOTTOM OF DOOR UNLESS OTHERWISE SPECIFIED

2 PANEL DOOR UNIT ELEVATIONS	SCALE: 3/4" = 1'- 0"	FONTRICK DOOR



PLEASE NOTE: KNOB PANEL HEIGHT FOR ALL DOORS IS 3'-0" FROM THE BOTTOM OF DOOR UNLESS OTHERWISE SPECIFIED

FONTRICK DOOR	SCALE: 3/4" = 1'-0"	3 PANEL DOOR UNIT ELEVATIONS

D4



3 PANEL DOOR UNIT ELEVATIONS	SCALE: 3/4" = 1'- 0"	FONTRICK DOOR



PLEASE NOTE: KNOB RAIL HEIGHT FOR ALL DOORS IS 3'-0" FROM THE BOTTOM OF DOOR UNLESS OTHERWISE SPECIFIED

FONTRICK DOOR	SCALE: 3/4" = 1'-0"	4 PANEL DOOR UNIT ELEVATIONS

D6



PLEASE NOTE: KNOB PANEL HEIGHT FOR ALL DOORS IS 3'-0" FROM THE BOTTOM OF DOOR UNLESS OTHERWISE SPECIFIED

5 PANEL DOOR UNIT ELEVATIONS	SCALE: 3/4" = 1'- 0"	FONTRICK DOOR



PLEASE NOTE: PANEL HEIGHTS CHANGE PROPORTIONALLY IN DIFFERENT HEIGHT DOORS

FONTRICK DOOR	SCALE: 3/4" = 1'-0"	5 PANEL DOOR UNIT ELEVATIONS

D8



PLEASE NOTE: KNOB RAIL HEIGHT FOR ALL DOORS IS 3'-0" FROM THE BOTTOM OF DOOR UNLESS OTHERWISE SPECIFIED

6 PANEL DOOR UNIT ELEVATIONS	SCALE: 3/4" = 1'- 0"	FONTRICK DOOR



PLEASE NOTE: KNOB PANEL HEIGHT FOR ALL DOORS IS 3'-0" FROM THE BOTTOM OF DOOR UNLESS OTHERWISE SPECIFIED

FONTRICK DOOR	SCALE: 3/4" = 1'-0"	6 PANEL DOOR UNIT ELEVATIONS

D10



PLEASE NOTE: KNOB PANEL HEIGHT FOR ALL DOORS IS 3'-0" FROM THE BOTTOM OF DOOR UNLESS OTHERWISE SPECIFIED

8 PANEL DOOR UNIT ELEVATIONS	SCALE: 3/4" = 1'-0"	FONTRICK DOOR



PLEASE NOTE: PANEL HEIGHTS CHANGE PROPORTIONALLY IN DIFFERENT HEIGHT DOORS

FONTRICK DOOR	SCALE: 3/4" = 1'- 0"	8 PANEL DOOR UNIT ELEVATIONS

FD 2 0 1 1

- panel raise profile
- "moulding" profile
- door / panel tongue thickness

Door / Panel Tongue Thickness

0 = 1-3/8" Door 1/4" Tongue
1 = 1-3/4" Door 1/4" Tongue
2 = 1-3/4" Door 1/2" Tongue
3 = 2-1/4" Door 3/4" Tongue
4 = 2-1/2" Door 1" Tongue



FD 2011 PANEL PROFILE





E1



000-SERIES 0-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	000-SERIES 1-COPE PROFILES

E3



000-SERIES 2-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	000-SERIES 3-COPE PROFILES



000-SERIES 4-COPE PROFILES | SCALE: FULL SIZE | FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	000-SERIES 5-COPE PROFILES


FD060
FD065
1/4"
1 3/8"
1 3/16"
* NOT RECOMMENDED FOR WIDER PANEL DOORS
FD061
FD066
3/4"
1 3/8"
1 3/16"
FD062
FD067
1 3/16"
1 3/8"
1 3/16"
FD063
FD068
1 3/16"
1 3/8"
1 3/16"
FD064
FD069
1 3/16"
1 3/8"
1 3/16"



FONTRICK DOOR	SCALE: FULL SIZE	000-SERIES 7-COPE PROFILES



000-SERIES 8-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	000-SERIES 9-COPE PROFILES

F1



100-SERIES 0-COPE PROFILES | SCALE: FULL SIZE | FONTRICK DOOR

F2



FONTRICK DOOR	SCALE: FULL SIZE	100-SERIES 1-COPE PROFILES

F3



100-SERIES 2-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR

SCALE: FULL SIZE

100-SERIES 3-COPE PROFILES



100-SERIES 4-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	100-SERIES 5-COPE PROFILES



100-SERIES 6-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	100-SERIES 7-COPE PROFILES

F9



100-SERIES 8-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	100-SERIES 9-COPE PROFILES

G1



200-SERIES 0-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR

G2



FONTRICK DOOR	SCALE: FULL SIZE	200-SERIES 1-COPE PROFILES



200-SERIES 2-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	200-SERIES 3-COPE PROFILES



200-SERIES 4-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	200-SERIES 5-COPE PROFILES



200-SERIES 6-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	200-SERIES 7-COPE PROFILES

G9



200-SERIES 8-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	200-SERIES 9-COPE PROFILES

FD300



FD301



FD302



FD303



FD304



FD305



FD306



FD307



FD308



FD309



FONTRICK DOOR	SCALE: FULL SIZE	300-SERIES 0-COPE PROFILES



300-SERIES 1-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR

FD315



FD316



FD317



FD318



FD319



FD320



FD321



FD322



FD323



FD324



300-SERIES 2-COPE PROFILES | SCALE: FULL SIZE | FONTRICK DOOR

FD325



FD326



FD327



FD328



FD329



FONTRICK DOOR	SCALE: FULL SIZE	300-SERIES 2-COPE PROFILES



300-SERIES 3-COPE PROFILES	SCALE: FULL SIZE	**FONTRICK DOOR**

FD335



FD336



FD337



FD338



FD339



FONTRICK DOOR	SCALE: FULL SIZE	300-SERIES 3-COPE PROFILES

FD340



FD341



FD342



FD343



FD344



FD345



FD346



FD347



FD348



FD349



FD350



FD351



FD352



FD353



FD354



FD355



FD356



FD357



FD358



FD359



FD360



FD361



FD362



FD363



FD364



FD365



FD366



FD367



FD368



FD369



FD370



FD371



FD372



FD373



FD374



300-SERIES 7-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR

FD375



FD376



FD377



FD378



FD379



FONTRICK DOOR	SCALE: FULL SIZE	300-SERIES 7-COPE PROFILES

FD380



FD381



FD382



FD383



FD384



FD385



FD386



FD387



FD388



FD389



FD390



FD391



FD392



FD393



FD394



FD395



FD396



FD397



FD398



FD399



FD400



FD401



FD402



FD403



FD404



400-SERIES 0-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR

FD405



FD406



FD407



FD408



FD409



FONTRICK DOOR	SCALE: FULL SIZE	400-SERIES 0-COPE PROFILES

FD410



FD411



FD412



FD413



FD414



400-SERIES 1-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR

FD415



FD416



FD417



FD418



FD419



FD420



FD421



FD422



FD423



FD424



FD425



FD426



FD427



FD428



FD429



FD430



FD431



FD432



FD433



FD434



FD435



FD436



FD437



FD438



FD439



FD440



FD441



FD442



FD443



FD444



400-SERIES 4-COPE PROFILES	SCALE: FULL SIZE	FONTRICK DOOR

FD445



FD446



FD447



FD448



FD449



FONTRICK DOOR	SCALE: FULL SIZE	400-SERIES 4-COPE PROFILES



400-SERIES 5-COPE PROFILES	SCALE: FULL SIZE	**FONTRICK DOOR**

FD455



FD456



FD457



FD458



FD459




FD460
1"
2 1/4"
FD461
2 1/4"
1 1/2"
FD462
2 1/8"
2 1/4"
FD463
2 1/4"
2"
FD464
2"
2 1/4"

FD465



FD466



FD467



FD468



FD469



FD460



FD461



FD462



FD463



FD464



FD465



FD466



FD467



FD468



FD469



FD470



FD471



FD472



FD473



FD474



FD475



FD476



FD477



FD478



FD479




FD480
1"
2 1/4"
FD481
2 1/4"
1 1/2"
FD482
2 1/8"
2 1/4"
FD483
2 1/4"
2"
FD484
2"
2 1/4"

FD485



FD486



FD487



FD488



FD489



FONTRICK DOOR	SCALE: FULL SIZE	400-SERIES 8-COPE PROFILES

FD490



FD491



FD492



FD493



FD494




FD495
2 1/8"
2 1/4"
FD496
2 1/4"
2 1/8"
FD497
2"
2 1/4"
FD498
2 1/4"
2 1/8"
FD499
2 1/8"
2 1/4"

J1



APPLIED MOULDINGS	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	APPLIED MOULDINGS

J3



APPLIED MOULDINGS	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	APPLIED MOULDINGS



APPLIED MOULDINGS	SCALE: FULL SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: FULL SIZE	APPLIED MOULDINGS


DADO
FD C000
FD G000
DADO
1/2"
1 3/8"
1 3/4"
1/2"


DADO
FD I000
FD K000
DADO
3/4"
1 3/4"
1 3/4"
1"


FD Q000
DADO
DADO
FD M000
1 1/4"
1 3/4"
2 1/4"
1"

K1



INTERIOR

EXTERIOR

FONTRICK DOOR	SCALE: 3/4"=1'-0"	9-LITE FRENCH UNIT ELEVATIONS

K2



INTERIOR

EXTERIOR

10-LITE FRENCH UNIT ELEVATIONS	SCALE: 3/4"=1'-0"	FONTRICK DOOR



INTERIOR



EXTERIOR

FONTRICK DOOR	SCALE: 3/4"=1'-0"	12-LITE FRENCH UNIT ELEVATIONS



15-LITE FRENCH UNIT ELEVATIONS	SCALE: 3/4"=1'-0"	FONTRICK DOOR



FONTRICK DOOR	SCALE: 3/4"=1'-0"	18-LITE FRENCH UNIT ELEVATIONS



7/8" "NEW" (SDL) MUNTIN BAR
AND FD #0B COPE
WITH 5/8" INSULATED GLASS



7/8" "NEW" (SDL) MUNTIN BAR
AND FD # 1B COPE
WITH 5/8" INSULATED GLASS

NOTE: NO SPACER ARE INCLUDED BEHIND CURVED MUNTINS.

7/8" (SDL) IG MUNTIN BARS	SCALE: FULL SIZE	FONTRICK DOOR



7/8" "COMMON" (SDL) MUNTIN BAR
AND FD #0A COPE
WITH 1/2" INSULATED GLASS



7/8" "COMMON" (SDL) MUNTIN BAR
AND FD # 1A COPE
WITH 1/2" INSULATED GLASS

FONTRICK DOOR	SCALE: FULL SIZE	7/8" "COMMON" (SDL) IG MUNTIN BARS



7/8" STANDARD (SDL) MUNTIN BAR
AND FD #0 COPE
WITH 3/4" INSULATED GLASS



7/8" STANDARD (SDL) MUNTIN BAR
AND FD #1 COPE
WITH 3/4" INSULATED GLASS

NOTE: NO SPACER ARE INCLUDED BEHIND CURVED MUNTINS.

7/8" (SDL) IG MUNTIN BARS	SCALE: FULL SIZE	FONTRICK DOOR



1 3/8" FD "0" (TDL) MUNTIN BAR
WITH 1/4" SAFETY GLASS



1 3/8" FD "1" (TDL) MUNTIN BAR
WITH 1/4" SAFETY GLASS

FONTRICK DOOR	SCALE: FULL SIZE	1 3/8" (TDL) NI MUNTIN BARS



7/8" TYPE "A" (TDL) MUNTIN BAR
WITH 1/4" SAFETY GLASS

(GLASS CENTERED)



7/8" TYPE "B" (TDL) MUNTIN BAR
WITH 1/4" SAFETY GLASS

(GLASS OFF-SET)

7/8" (TDL) NI MUNTIN BARS	SCALE: FULL SIZE	FONTRICK DOOR



7/8" TYPE "C" (TDL) MUNTIN BAR
WITH 1/4" SAFETY GLASS



7/8" TYPE "D" (TDL) MUNTIN BAR
WITH 1/4" SAFETY GLASS

FONTRICK DOOR	SCALE: FULL SIZE	7/8" (TDL) NI MUNTIN BARS



7/8" TYPE "A" (TDL) MUNTIN BAR
WITH 1/4" SAFETY GLASS



7/8" TYPE "C" (TDL) MUNTIN BAR
WITH 1/4" SAFETY GLASS

7/8" (TDL) NI MUNTIN BARS	SCALE: FULL SIZE	FONTRICK DOOR



1 3/8" FD "0" (TDL) MUNTIN BAR
WITH 1/2" INSULATED GLASS



1 3/8" FD "1" (TDL) MUNTIN BAR
WITH 1/2" INSULATED GLASS

NOTE: NO SPACER ARE INCLUDED BEHIND CURVED MUNTINS.

FONTRICK DOOR	SCALE: FULL SIZE	1 3/8" (TDL) IG MUNTIN BARS

M1



LOUVER UNIT ELEVATIONS	SCALE: 3/4" = 1'- 0"	FONTRICK DOOR



FONTRICK DOOR	SCALE: 3/4"=1'-0"	LOUVER UNIT ELEVATIONS

M3



1/4" OR 3/8" LOUVER THICKNESS

LOUVER DOOR DETAILS	SCALE: FULL SIZE	FONTRICK DOOR



PLAN VIEW



CUTAWAY OF DOOR PROFILE

1/4" OR 3/8" LOUVER THICKNESS

FONTRICK DOOR	SCALE: FULL SIZE	"CLOSED" LOUVER DOOR DETAILS



PLAN VIEW

CUTAWAY OF DOOR PROFILE

1/4" OR 3/8" LOUVER THICKNESS

"OPEN" LOUVER DOOR DETAILS	SCALE: FULL SIZE	FONTRICK DOOR

M6



PLAN VIEW



CUTAWAY OF DOOR PROFILE

1/4" OR 3/8" LOUVER THICKNESS

FONTRICK DOOR	SCALE: FULL SIZE	3/8" ROUND LOUVER DOOR DETAIL

N1



NOTE:
AS DOOR WIDTHS CHANGE, THE NUMBER OF V-GROOVES MAY VARY TO KEEP "ON-FLAT" DIMENSIONS BETWEEN GROOVES AS CONSISTANT AS POSSIBLE
SOME ON-FLAT DIMENSIONS MAY VARY SLIGHTLY

V-GROOVE UNIT ELEVATIONS	SCALE: 3/4"=1'-0"	FONTRICK DOOR



V-GROOVE W. RAISED PANEL



V-GROOVE W. FLAT PANEL



V-GROOVE & KERF OPTIONS

01



INTERIOR



EXTERIOR

BEADED PANEL UNIT ELEVATION	SCALE: 3/4"=1'-0"	FONTRICK DOOR



STAIN GRADE RAISED BEADED PANEL PROFILES



BEAD DETAIL

LARGE BEAD PROFLE



BEAD DETAIL

SMALL BEAD PROFILE



BEAD DETAIL

"V" BEAD PROFILE

P1

SCREEN OPTIONS:
#1 BRONZE
#2 CHARCOAL FIBERGLASS
#3 ALUMINUM
#4 CHARCOAL ALUMINUM



FULL VIEW SCREEN DOOR
SCALE: 3/4" = 1'-0"



QUARTER ROUND STICKING
SCALE: FULL

SCREEN ELEVATIONS & PROFILES	SCALE: NOTED	FONTRICK DOOR



BI- VIEW SCREEN DOOR
SCALE: 3/4" = 1'-0"



OGEE STICKING OPTION
SCALE: FULL

FONTRICK DOOR	SCALE: NOTED	SCREEN ELEVATIONS & PROFILES

SCREEN OPTIONS:
#1 BRONZE
#2 CHARCOAL FIBERGLASS
#3 ALUMINUM
#4 CHARCOAL ALUMINUM





HORIZONTAL SECTION



VERTICAL SECTION



MID RAIL SECTION - BI VIEWS

* QUARTER ROUND ALSO AVAILABLE

FONTRICK DOOR	SCALE: FULL	STORM / SCREEN SECTION

Q1



SHIPLAP PROFILE



BEADED PROFILE

DUTCH DOOR PROFILES	SCALE: FULL SIZE	FONTRICK DOOR





9 LITE OVER 1 PANEL DUTCH DOOR UNIT ELEVATIONS



7/8" STANDARD (SDL) MUNTIN BAR
WITH 1/2" INSULATED LOW-E GLASS

R1

EXTERIOR ELEVATION



HURRICANE DOUBLE DOORS	SCALE: 3/4"=1'-0"	FONTRICK DOOR

EXTERIOR ELEVATION



FONTRICK DOOR	SCALE: 3/4"=1'-0"	HURRICANE SINGLE DOORS



HURRICANE DOOR PROFILE | SCALE: 3/4"=1'-0" | FONTRICK DOOR

20, 60, & 90 MINUTE FIRE RATED DOORS



DOOR CONFIGURATIONS CAN MATCH ENTIRE HOME

MATCHING DOOR PROFILES ON BOTH SIDES
(CAN BE ANY STOCK OR CUSTOM PROFILE)



RATED CORE WITH INTUMESCENT PERIMETER

NOTE: 20 MINUTE DOORS CAN BE 1 3/4" THICK



STAVE-CORE STILES



PANEL VENEERED
STAVE-CORE STILES

1/4" STAVE-CORE STILES DETAILS	SCALE: FULL SIZE	FONTRICK DOOR



DADO
STAVE-CORE STILES



REVERSE DADO
STAVE-CORE STILES

FONTRICK DOOR	**SCALE: FULL SIZE**	**1/8" STAVE-CORE STILES DETAILS**



FONTRICK DOOR | SCALE: 3/4"=1'-0" | EXTERIOR DOOR UNIT EXAMPLES

U2



EXTERIOR DOOR UNIT EXAMPLES | SCALE: 3/4"=1'-0" | FONTRICK DOOR



FONTRICK DOOR | SCALE: 3/4"=1'-0" | EXTERIOR DOOR UNIT EXAMPLES

U4



EXTERIOR DOOR UNIT EXAMPLES | SCALE: 3/4"=1'-0" | FONTRICK DOOR



FONTRICK DOOR | SCALE: 3/4"=1'-0" | EXTERIOR DOOR UNIT EXAMPLES



EXTERIOR DOOR UNIT EXAMPLES | SCALE: 3/4"=1'-0" | FONTRICK DOOR



FONTRICK DOOR	SCALE: HALF SIZE	EXTERIOR JAMB PROFILE (1 3/4" DOOR)

V2



EXTERIOR JAMB PROFILE (2 1/4" DOOR)	SCALE: HALF SIZE	FONTRICK DOOR



FONTRICK DOOR	SCALE: HALF SIZE	EXT. JAMB PROFILE (SIDELITE)



STANDARD WOOD SILL



ALUMINUM SILL WITH ADJUSTABLE OAK STRIP



ALUMINUM "HANDICAPP ACCESSIBLE" SILLs



930 INTERLOCK INSWING/ OUTSWING



S16- T2: 2 PART INTERLOCK



942 INTERLOCK W. DRIP PAN



S13- T2: 2 PART INTERLOCK



INTEK SWEEP



ADJUSTABLE SWEEP



AUTO DOOR BOTTOM

V6



MULL COVER"A"

MULL COVER "B"

MULL COVER"C"

SAMPLE CASING DETAILS	SCALE: FULL SIZE	FONTRICK DOOR





CASING "E"



W1



TYPE "A"
EXTERIOR





TYPE "C"



TYPE "C" SURFACE

ASTRAGALS TYPE "A" THOUGH "C"	SCALE: FULL SIZE	FONTRICK DOOR



SHIPLAP DETAIL #1



SHIPLAP DETAIL #2



SHIPLAP DETAIL #3

FONTRICK DOOR	SCALE: HALF SIZE	SHIPLAP EDGE DETAILS

W3



STOP PROFILE "A"



STOP PROFILE "B"



STOP PROFILE "C"



STOP PROFILE "D"



STOP PROFILE "E"



STOP PROFILE "E1E"

STANDARD STOP PROFILES	SCALE: FULL SIZE	FONTRICK DOOR

X1



FONTRICK DOOR	SCALE: FULL SIZE	OLIVE KNUCKLE HINGE DETAIL

X2



HARMON HINGE DETAIL | SCALE: FULL SIZE | FONTRICK DOOR



FONTRICK DOOR | SCALE: FULL SIZE | BUTT HINGE DETAILS

X4



STANDARD HINGE LAYOUT	SCALE: 3/4"=1'-0"	FONTRICK DOOR







Y2







DOUBLE HUNG WINDOWS

FONTRICK DOOR



HORIZONTAL SECTION @ SIDE



VERTICAL SECTION @ SILL





HORIZONTAL SECTION @ LOCK



VERTICAL SECTION @ SILL

Y6



VERTICAL SECTION @ HEAD



VERTICAL SECTION @ CHECK RAIL

CASEMENT WINDOW DETAILS

FONTRICK DOOR

FONTRICK DOOR, INC.
9 APOLLO DRIVE
BATAVIA, NY 14020

WARRANTY & CARE

RECOMMENDED CARE & HANDLING OF YOUR DOORS

When doors arrive on site, allow the doors to acclimate to the relative humidity of the location. We recommend painting or finishing of the doors as soon as possible (within one week). This will limit the amount of expansion, contraction, and movement of wood parts created from taking on moisture.
Please be aware, if doors do take on moisture and must be planed down to operate properly, the doors will likewise shrink when the house is heated or dehumidified. We do not warranty installation or alterations made to the products after it's production. It is important to finish the doors on ALL 6 surfaces. This includes top and bottom edges, under hinges and locksets, and under weatherstripping.

STANDARD WARRANTY

At Fontrick Door, Inc., we warranty our interior and exterior doors against material and workmanship defects and warp for one year from delivery date of the product.

Warp can be measured by placing a straight edge on the concave side of the door measuring the distance between the straight edge and the face of the door. The distance must be larger than $\frac{1}{4}$" for the door to be considered defetive.

RECONSTRUCTION OR REPLACEMENT OF DEFECTIVE PRODUCTS

If a door has a defect, Fontrick Door, Inc. must be notified within one year. If a door has a proven defect, we will replace or reconstruct it. Fontrick Door, Inc. will only be held responsible for the product originally provided. We will not be liable for any disassembly, hanging, finishing, or installation costs of replacement products. ***Fontrick Door, Inc. reserves the right to utilize all non-defective components of the original product.***

Please note: We warranty all doors up to 42" in width and 96" in height to the above specification